



# JCDC-2 CYCLONE DUST COLLECTOR, 2HP, 230V


717520

Are you ready to get more from your dust collector? The Cyclone Dust Collector Collection from JET delivers the efficiency you've been waiting for. With a direct mount filter, a radio frequency remote control and a large collection bin these dust collectors take your shop's capabilities to a new level. Upgrade to a JET Cyclone Dust Collector and experience The Power of Efficiency.



## FEATURES

- Direct mounted filter eliminates inefficiencies from ridged flex hosing and bends
- Double paddle manual cleaning system quickly cleans the pleated filter
- Fine dust particles are filtered through pleated material that captures even the smallest particles down to 1 micron and below
- Heavy debris is captured in a 30 gallon drum with quick release levers and independent casters for quick emptying
- Heavy debris is pulled down to collection drum before debris stream reaches the filter, providing constant suction
- Included radio frequency remote control works from up to 50 feet away
- Remote timer settings allows system to run for 2, 4, 6, or 8 hours before automatic shutoff
- Swivel casters make it easy to move the unit around the shop
- The cyclone's two stage separation provides more working CFM than comparable horsepower single stage units



## JET RED ASSURANCE 5-YEAR WARRANTY

JET warrants every product it sells. If one of our tools needs service or repair, one of our Authorized Service Centers located throughout the United States can give you quick service. In most cases, any of these JPW Industries Authorized Service Centers can authorize warranty repair, assist you in obtaining parts, or perform routine maintenance and major repair on your JET tools. For the name of an Authorized Service Center in your area call 1-800-274-6848.

# STAND BEHIND YOUR WORK

550+ SERVICE CENTERS NATIONWIDE | INDUSTRY-LEADING WARRANTIES | EXPERT TECHNICAL SERVICE



# JCDC-2 CYCLONE DUST COLLECTOR, 2HP, 230V

717520

## SPECIFICATIONS

Static Pressure Loss (US Method) (Wc.)	2.52
Static Pressure Loss (EU Method) (Wc.)	3.78
MERV Value	13
Filter Efficiency (Micron)	1
Canister Filter Length (In.)	22-5/8
Max. Static Pressure (Wc.)	10.079
Collection Drum Capacity (gal.)	30
Impeller Material	Steel
Motor Power (HP)	2
Footprint (L x W/In.)	50-5/8 x 25-7/8
1-Hose Connection Diameter (In.)	6
2-Hoses Connection Diameter (In.)	4
Motor Voltage (V.)	230
Prewired Voltage (V.)	230



STAND BEHIND YOUR WORK

550+ SERVICE CENTERS NATIONWIDE | INDUSTRY-LEADING WARRANTIES | EXPERT TECHNICAL SERVICE



# JCDC-2 CYCLONE DUST COLLECTOR, 2HP, 230V

717520

## FULL SERIES

STOCK NO	MODEL NO	AIR FLOW @ 4" (CFM)	STYLE (TYPE)	VELOCITY @ 4" (FPM)	NUMBER OF AIR INLETS	EFFICIENCY (MICRON)
717515	JCDC-1.5					
717520	JCDC-2					
717530K	JCDC-3					

**STAND BEHIND YOUR WORK**

550+ SERVICE CENTERS NATIONWIDE | INDUSTRY-LEADING WARRANTIES | EXPERT TECHNICAL SERVICE