

TWO-POST SUPER ASYMMETRIC LIFT

AMGO OH-10 is an industrial-grade two-post lift with ALI certification that represents AMGO's specialties in research and manufacturing. It is versatile, with two-height settings to accommodate different ceiling heights, features Super Asymmetric technology and incorporates single-point lock release technology. OH-10 is your ideal industrial-grade solution, ensuring safety, versatility and minimal maintenance requirements.





AMGO's Hydraulic Corporation provides comprehensive services that specialize in R&D manufacturing and global distribution of automotive service equipment. We provide an extensive line of quality automotive car lifts and over 20 years of industry experience, with the best warranty of the market.

AMGO's dedication to quality, innovation, safety and service sets us apart from our competitors.

Our product is available all over the country in our East, Central, and West Coast warehouses. AMGO continues to expand its sales to North and South America, and we are looking for new partners to grow together!

www.amgohyd.com



SC Distribution Center




TX Distribution Center



***Our Mission Is to Provide the Best Products and Services in the World
at Affordable Price with Complete Customer Satisfaction!***




ETL certified AMGO power unit.



High Quality Dual Hydraulic Direct-Drive cylinders.




Automatic arm restraints



Single point safety release allows operators to unlock both columns from one side.




- ✓ 10,000lbs capacity.
- ✓ Dual hydraulic direct-driven cylinders are made to high standard.
- ✓ **SuperAsymmetric** to load different vehicles in an asymmetric or symmetric configuration.
- ✓ Aero cables are used for synchronization.
- ✓ Single point safety release allows operators to unlock both columns from one side.
- ✓ Self-lubricating UHMW Polyethylene sliders.
- ✓ Clear-floor design provides unobstructed floor use.
- ✓ Overhead safety shut-off device prevents vehicle damage.
- ✓ Stackable rubber pads and 1.5", 2.5", 5" adapters come as standard.
- ✓ Comes standard with 2 adjustable heights to accommodate varying ceiling clearance.
- ✓ Toe guards and tool trays come standard.



• The stackable rubber pads assembly with 1.5", 2.5", 5" extension adapters.




• Optional Saddle adaptors. Perfect choice for wide size SUV vehicles and light trucks. Kits No.:20802.



LOAD IN SYMMETRIC CONFIGURATION




CONFIGURATION



LOAD IN ASYMMETRIC CONFIGURATION

SYMMETRIC CONFIGURATION & ASYMMETRIC CONFIGURATION

The OH-10 lift features our innovative **SuperAsymmetric** technology providing the versatility to lift vehicles both symmetrically and asymmetrically upon demand.




WIDTH EXTENSION KITS



Kits No.20906

Adjust the width between posts
from 112 1/4" to 118 1/8".



Standard two-height settings
to accommodate varying
ceiling heights.




WE OFFER THE BEST WARRANTY IN THE INDUSTRY

The warranty time of the lifts:
5 years for steel construction,
3 years for hydraulic parts.
2 years for electrical components

SPECIFICATIONS

Model	OH-10	
Lifting Capacity	10,000 lbs	
Lifting Time	57s	
Max. Lifting height: (w/o extension adapter)	A	72 15/32"
Max. Lifting height: (w/ extension adapter)		80 15/32"
Max. lock height: (w/o extension adapter)		69 5/8"
Max. lock height: (w/ extension adapter)		78 5/8"
Overall Height:(low setting)	B	143 1/8"
Overall Height:(high setting)		151"
Overall Width	C	135"
Drive-Thru Clearance	D	99 1/2"
Width Between Columns	E	112 1/4"
Minimum Pad Height	F	3 1/2"
Gross Weight	1,642 lbs	
Motor	2.0HP, 220V 60Hz, single phase	



AMGO HYDRAULIC CORPORATION

SC Division: 1931 Joe Rogers Jr Blvd, Manning, SC 29102, USA
 Tel:(803)505-6410

TX Division: 4310 Adler, Suite 200, Dallas, TX 75211, USA
 Tel:(214)377-7742